

L Number	Hits	Search Text	DB	Time stamp
-	5	((device\$1 or hardware) near4 context) and (map\$5 same (program or matrix)) and (( kernel or hardware) adj2 (configuration or section\$1))) and 717/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 14:32
-	87	((device\$1 or hardware) near4 context) and (map\$5 same (program or matrix)) and (( kernel or hardware) adj2 (configuration or section\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 11:47
-	5	("5600845"   "5752035"   "5802290"   "6009273"   "6077315").PN.	USPAT	2003/04/02 08:38 ✓
-	4724	(712/10-19; 709/311-327; 717/106-108,127-135,138,140,144,150-161).CCL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 09:19
-	453	(FPGA or "field gate array" ) and (map\$5 or matrix) and (hardware adj2 (context or configuration or design\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 09:21
-	23	((712/10-19; 709/311-327; 717/106-108,127-135,138,140,144,150-161).CCL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 09:22 ✓
-	1335	and ((FPGA or "field gate array" ) and (map\$5 or matrix) and (hardware adj2 (context or configuration or design\$1))) (compil\$4 and monitor\$4 and profil\$4) and (program same execution)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 09:24
-	16	((FPGA or "field gate array" ) and (map\$5 or matrix) and (hardware adj2 (context or configuration or design\$1))) and ((compil\$4 and monitor\$4 and profil\$4) and (program same execution))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 09:24 ✓
-	24	((712/10-19; 709/311-327; 717/106-108,127-135,138,140,144,150-161).CCL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 09:29 ✓
-	161	and ((FPGA or "field gate array" ) and (map\$5 or matrix) and (hardware adj2 (context or configuration or design\$1))) or ((FPGA or "field gate array" ) and (map\$5 or matrix) and (hardware adj2 (context or configuration or design\$1))) and ((compil\$4 and monitor\$4 and profil\$4) and (program same execution))) and (configuration\$1 or context\$1 or design\$1 or architecture\$1 or environmen\$3)) and ((array\$1 or matri\$3) or map\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 09:29
-	19	((FPGA or "field gate array" ) and (map\$5 or matrix) and (hardware adj2 (context or configuration or design\$1))) and ((multiple or plural) near4 ( hardware adj2 ( configuration\$1 or context\$1 or design\$1 or architecture\$1 or environmen\$3)) and ((array\$1 or matri\$3) or map\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 09:29 ✓
-	14	((FPGA or "field gate array" ) and (map\$5 or matrix) and (hardware adj2 (context or configuration or design\$1))) and ((multiple or plural) near4 ( hardware adj2 ( configuration\$1 or context\$1 or design\$1 or architecture\$1 or environmen\$3)) and ((array\$1 or matri\$3) or map\$4))) and (@ad<=20000830 or @rlad<=20000830)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 10:24 ✓

-	36	(((712/10-19; 709/311-327; 717/106-108,127-135,138,140,144,150-161).CCL and ((FPGA or "field gate array" ) and (map\$5 or matrix) and (hardware adj2 (context or configuration or design\$1))) or (((FPGA or "field gate array" ) and (map\$5 or matrix) and (hardware adj2 (context or configuration or design\$1))) and ((compil\$4 and monitor\$4 and profil\$4) and (program same execution)))) and (@ad<=20000830 or @rlad<=20000830)) or (((FPGA or "field gate array" ) and (map\$5 or matrix) and (hardware adj2 (context or configuration or design\$1))) and ((multiple or plural) near4 ( hardware adj2 ( configuration\$1 or context\$1 or design\$1 or architecture\$1 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 09:30
-	34	enviromen\$3) and ((array\$1 or matri\$3) or map\$4))) and (@ad<=20000830 or @rlad<=20000830))) not (((712/10-19; 709/311-327; 717/106-108,127-135,138,140,144,150-161).CCL and ((FPGA or "field gate array" ) and (map\$5 or matrix) and (hardware adj2 (context or configuration or design\$1))) or (((FPGA or "field gate array" ) and (map\$5 or matrix) and (hardware adj2 (context or configuration or design\$1))) and ((compil\$4 and monitor\$4 and profil\$4) and (program same execution)))) and (@ad<=20000830 or @rlad<=20000830)) or (((FPGA or "field gate array" ) and (map\$5 or matrix) and (hardware adj2 (context or configuration or design\$1))) and ((multiple or plural) near4 ( hardware adj2 ( configuration\$1 or context\$1 or design\$1 or architecture\$1 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 10:22
-	10	and ((multiple or plural) near4 ( hardware adj2 ( configuration\$1 or context\$1 or design\$1 or architecture\$1 or environmen\$3)) and ((array\$1 or matri\$3) or map\$4))) and (@ad<=20000830 or @rlad<=20000830))) not (((712/10-19; 709/311-327; 717/106-108,127-135,138,140,144,150-161).CCL and ((FPGA or "field gate array" ) and (map\$5 or matrix) and (hardware adj2 (context or configuration or design\$1))) or (((FPGA or "field gate array" ) and (map\$5 or matrix) and (hardware adj2 (context or configuration or design\$1))) and ((compil\$4 and monitor\$4 and profil\$4) and (program same execution)))) and (@ad<=20000830 or @rlad<=20000830)) and (((FPGA or "field gate array" ) and (map\$5 or matrix) and (hardware adj2 (context or configuration or design\$1))) and ((multiple or plural) near4 ( hardware adj2 ( configuration\$1 or context\$1 or design\$1 or architecture\$1 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 10:24
-	8	and ((multiple or plural) near4 ( hardware adj2 ( configuration\$1 or context\$1 or design\$1 or architecture\$1 or environmen\$3)) and ((array\$1 or matri\$3) or map\$4))) and (@ad<=20000830 or @rlad<=20000830))) not (((712/10-19; 709/311-327; 717/106-108,127-135,138,140,144,150-161).CCL and ((FPGA or "field gate array" ) and (map\$5 or matrix) and (hardware adj2 (context or configuration or design\$1))) or (((FPGA or "field gate array" ) and (map\$5 or matrix) and (hardware adj2 (context or configuration or design\$1))) and ((compil\$4 and monitor\$4 and profil\$4) and (program same execution)))) and (@ad<=20000830 or @rlad<=20000830)) and (((FPGA or "field gate array" ) and (map\$5 or matrix) and (hardware adj2 (context or configuration or design\$1))) and ((multiple or plural) near4 ( hardware adj2 ( configuration\$1 or context\$1 or design\$1 or architecture\$1 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 13:38
-	21	and ((multiple or plural) near4 ( hardware adj2 ( configuration\$1 or context\$1 or design\$1 or architecture\$1 or environmen\$3)) and ((array\$1 or matri\$3) or map\$4))) and (@ad<=20000830 or @rlad<=20000830))) not (((712/10-19; 709/311-327; 717/106-108,127-135,138,140,144,150-161).CCL and ((FPGA or "field gate array" ) and (map\$5 or matrix) and (hardware adj2 (context or configuration or design\$1))) or (((FPGA or "field gate array" ) and (map\$5 or matrix) and (hardware adj2 (context or configuration or design\$1))) and ((compil\$4 and monitor\$4 and profil\$4) and (program same execution)))) and (@ad<=20000830 or @rlad<=20000830)) and (((FPGA or "field gate array" ) and (map\$5 or matrix) and (hardware adj2 (context or configuration or design\$1))) and ((multiple or plural) near4 ( hardware adj2 ( configuration\$1 or context\$1 or design\$1 or architecture\$1 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 11:45
-	19	and ((multiple or plural) near4 ( hardware adj2 ( configuration\$1 or context\$1 or design\$1 or architecture\$1 or environmen\$3)) and ((array\$1 or matri\$3) or map\$4))) and (@ad<=20000830 or @rlad<=20000830))) not (((712/10-19; 709/311-327; 717/106-108,127-135,138,140,144,150-161).CCL and ((FPGA or "field gate array" ) and (map\$5 or matrix) and (hardware adj2 (context or configuration or design\$1))) or (((FPGA or "field gate array" ) and (map\$5 or matrix) and (hardware adj2 (context or configuration or design\$1))) and ((compil\$4 and monitor\$4 and profil\$4) and (program same execution)))) and (@ad<=20000830 or @rlad<=20000830)) and (((FPGA or "field gate array" ) and (map\$5 or matrix) and (hardware adj2 (context or configuration or design\$1))) and ((multiple or plural) near4 ( hardware adj2 ( configuration\$1 or context\$1 or design\$1 or architecture\$1 or	USPAT	2003/04/03 10:26

-	189	(hardware near2 accelerator\$1) and (Java or multiprocessor\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 13:44	
-	19	((device\$1 or hardware) near4 context) and ((hardware near2 accelerator\$1) and (Java or multiprocessor\$1))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 13:28	✓
-	17	((device\$1 or hardware) near4 context) and ((hardware near2 accelerator\$1) and (Java or multiprocessor\$1))) and (@ad<=20000830 or @rlad<=20000830)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 08:45	✓
-	30	((DSP near5 network) or "hardware context" or MCPE) and (hardware adj accelerator\$1)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 13:06	✓
-	17	((DSP near5 network) or "hardware context" or MCPE) and (hardware adj accelerator\$1)) and (@ad<=20000830 or @rlad<=20000830)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 13:06	✓
-	21	("4597041"   "4748585"   "4754412"   "4858113"   "4870302"   "5020059"   "5233539"   "5301340"   "5317209"   "5336950"   "5426378"   "5457408"   "5469003"   "5581199"   "5684980"   "5742180"   "5754818"   "5765209"   "5778439"   "5880598"   "5956518").PN.	USPAT	2003/04/02 13:27	
-	19	5956518.URPN.	USPAT	2003/04/02 13:28	✓
-	35	5535406.URPN.	USPAT	2003/04/02 14:16	✓
-	39	(place\$4 adj rout\$4) and (reconfigur\$5 near3 (process\$5 or programming)) and (hardware same context\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/02 15:52	✓
-	11	5748979.URPN.	USPÄT	2003/04/02 16:30	✓
-	46	((compil\$4 and optimi\$5) and ((hardware near2 accelerator\$1) and ((C near4 program) or multiprocessor\$1))) and (@ad<=20000830 or @rlad<=20000830)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 11:45	✓
-	10	Tseng.in. and Axis\$9.as.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 08:54	✓
-	18	6009256.URPN.	USPAT	2003/04/03 09:03	✓

-	6	((compil\$4 and optimi\$5) and (hardware near2 accelerator\$1)) and (("3106698"   "3287702"   "3287703"   "3473160"   "4020469"   "4306286"   "4386403"   "4488354"   "4503386"   "4578761"   "4612618"   "4621339"   "4642487"   "4656580"   "4656592"   "4675832"   "4695999"   "4697241"   "4700187"   "4706216"   "4736338"   "4740919"   "4744084"   "4747102"   "4752887"   "4758985"   "4768196"   "4777606"   "4786904"   "4787061"   "4791602"   "4803636"   "4811214"   "4815003"   "4823276"   "4827427"   "4835705"   "4849904"   "4849928"   "4862347"   "4870302"   "4872125"   "4876466"   "4882690"   "4901259"   "4901260"   "4908772"   "4914612"   "4918440"   "4918594"   "4922432"   "4924429"   "4931946"   "4935734"   "4942536"   "4942615"   "4945503"   "4949275"   "4951220"   "4965739"   "5003487"   "5023775"   "5041986"   "5046017"   "5051938"   "5053980"   "5081602"   "5084824"   "5093920"   "5109353"   "5114353"   "5126966"   "5128871"   "5140526"   "5146460"   "5189628"   "5193068"   "5197016"   "5224056"   "5231588"   "5231589"   "5233539"   "5253181"   "5258932"   "5259006"   "5260881"   "5263149"   "5272651"   "5329470"   "5343406"   "5352123"   "5371390"   "5377124"   "5425036"   "5448496"   "5448522"   "5452227"   "5452231"   "5452239"   "5467462"   "5475830"   "5477475"   "5504354"   "5563829"   "5572710"   "5612891"   "5644515"   "5649167"   "5654564"   "5657241"   "5661409"   "5661662"   "5663900"   "5748875"   "5771370"   "5796623"   "5838948"   "5841967").PN.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 09:20	✓
-	11	(Agrawal.in. and ((hardware adj2 accelerat\$4) or microcod\$4) ) and (@ad<=20000830 or @rlad<=20000830)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 10:27	✓
-	93	((hardware adj2 accelerat\$4) and (microcode) and (profil\$4 or optimi\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 09:29	
-	63	((hardware adj2 accelerat\$4) and (microcode) and (profil\$4 or optimi\$6)) and ((C near4 program) or compil\$4) and (@ad<=20000830 or @rlad<=20000830)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 09:31	
-	33	((device\$1 or hardware) near4 context) or (map\$5 same (program or matrix))) and (((hardware adj2 accelerat\$4) and (microcode) and (profil\$4 or optimi\$6)) and ((C near4 program) or compil\$4) and (@ad<=20000830 or @rlad<=20000830)) not (((compil\$4 and optimi\$5) and ((hardware near2 accelerator\$1) and ((C near4 program) or multiprocessor\$1))) and (@ad<=20000830 or @rlad<=20000830)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 09:33	✓

-	15	((device\$1 or hardware) near4 context) or (map\$5 same (program or matrix))) and (((hardware adj2 accelerat\$4) and (microcode) and (profil\$4 or optimi\$6))) and ((C near4 program) or compil\$4) and (@ad<=20000830 or @rlad<=20000830)) not (((compil\$4 and optimi\$5) and ((hardware near2 accelerator\$1) and ((C near4 program) or multiprocessor\$1))) and (@ad<=20000830 or @rlad<=20000830))) not (printing))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 10:28	✓
-	38	5146460.URPN.	USPAT	2003/04/03 10:11	
-	81	((hardware adj2 accelerat\$4) and (cosimulation or emulation) and compil\$)	USPAT	2003/04/03 10:27	✓
-	74	((hardware adj2 accelerat\$4) and (cosimulation or emulation) and compil\$)) and (@ad<=20000830 or @rlad<=20000830)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 10:28	
-	67	((hardware adj2 accelerat\$4) and (cosimulation or emulation) and compil\$)) and (@ad<=20000830 or @rlad<=20000830)) not ((US-6219833-\$ or US-5802290-\$ or US-6374403-\$ or US-6075935-\$ or US-5933642-\$ or US-5768500-\$ or US-5754759-\$ or US-5535406-\$ or US-6226776-\$ or US-6457116-\$ or US-6108760-\$ or US-5956518-\$ or US-5742180-\$ or US-5684980-\$ or US-5020059-\$ or US-6496918-\$ or US-6438737-\$ or US-6367063-\$ or US-6223274-\$ or US-6112020-\$ or US-6088795-\$ or US-6058469-\$ or US-5968161-\$ or US-5852734-\$ or US-5579494-\$ or US-6389379-\$).did. or (US-6134516-\$ or US-6188975-\$ or US-5841967-\$ or US-5657241-\$ or US-5091872-\$ or US-6199152-\$ or US-5752035-\$ or US-5146460-\$ or US-6009256-\$ or US-5870588-\$).did. or (US-20010034876-\$ or US-20020059456-\$ or US-20020049894-\$ or US-20020078115-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 10:28	
-	34	((device\$1 or hardware) near4 context) or (map\$5 same (program or matrix))) and (((hardware adj2 accelerat\$4) and (cosimulation or emulation) and compil\$)) and (@ad<=20000830 or @rlad<=20000830)) not ((US-6219833-\$ or US-5802290-\$ or US-6374403-\$ or US-6075935-\$ or US-5933642-\$ or US-5768500-\$ or US-5754759-\$ or US-5535406-\$ or US-6226776-\$ or US-6457116-\$ or US-6108760-\$ or US-5956518-\$ or US-5742180-\$ or US-5684980-\$ or US-5020059-\$ or US-6496918-\$ or US-6438737-\$ or US-6367063-\$ or US-6223274-\$ or US-6112020-\$ or US-6088795-\$ or US-6058469-\$ or US-5968161-\$ or US-5852734-\$ or US-5579494-\$ or US-6389379-\$).did. or (US-6134516-\$ or US-6188975-\$ or US-5841967-\$ or US-5657241-\$ or US-5091872-\$ or US-6199152-\$ or US-5752035-\$ or US-5146460-\$ or US-6009256-\$ or US-5870588-\$).did. or (US-20010034876-\$ or US-20020059456-\$ or US-20020049894-\$ or US-20020078115-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 10:29	✓

-	24	(((device\$1 or hardware) near4 context) or (map\$5 same (program or matrix))) and (((hardware adj2 accelerat\$4) and (cosimulation or emulation) and compil\$)) and (@ad<=20000830 or @rlad<=20000830)) not ((US-6219833-\$ or US-5802290-\$ or US-6374403-\$ or US-6075935-\$ or US-5933642-\$ or US-5768500-\$ or US-5754759-\$ or US-5535406-\$ or US-6226776-\$ or US-6457116-\$ or US-6108760-\$ or US-5956518-\$ or US-5742180-\$ or US-5684980-\$ or US-5020059-\$ or US-6496918-\$ or US-6438737-\$ or US-6367063-\$ or US-6223274-\$ or US-6112020-\$ or US-6088795-\$ or US-6058469-\$ or US-5968161-\$ or US-5852734-\$ or US-5579494-\$ or US-6389379-\$).did. or (US-6134516-\$ or US-6188975-\$ or US-5841967-\$ or US-5657241-\$ or US-5091872-\$ or US-6199152-\$ or US-5752035-\$ or US-5146460-\$ or US-6009256-\$ or US-5870588-\$).did. or (US-20010034876-\$ or US-20020059456-\$ or US-20020049894-\$ or US-20020078115-\$).did.))) and ( DSP or (bin\$1 or kernel))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 10:30	L
-	13	(((device\$1 or hardware) near4 context) or (map\$5 same (program or matrix))) and (((hardware adj2 accelerat\$4) and (cosimulation or emulation) and compil\$)) and (@ad<=20000830 or @rlad<=20000830)) not ((US-6219833-\$ or US-5802290-\$ or US-6374403-\$ or US-6075935-\$ or US-5933642-\$ or US-5768500-\$ or US-5754759-\$ or US-5535406-\$ or US-6226776-\$ or US-6457116-\$ or US-6108760-\$ or US-5956518-\$ or US-5742180-\$ or US-5684980-\$ or US-5020059-\$ or US-6496918-\$ or US-6438737-\$ or US-6367063-\$ or US-6223274-\$ or US-6112020-\$ or US-6088795-\$ or US-6058469-\$ or US-5968161-\$ or US-5852734-\$ or US-5579494-\$ or US-6389379-\$).did. or (US-6134516-\$ or US-6188975-\$ or US-5841967-\$ or US-5657241-\$ or US-5091872-\$ or US-6199152-\$ or US-5752035-\$ or US-5146460-\$ or US-6009256-\$ or US-5870588-\$).did. or (US-20010034876-\$ or US-20020059456-\$ or US-20020049894-\$ or US-20020078115-\$).did.))) and (((compil\$4 and optimi\$5) and ((hardware near2 accelerator\$1) and ((C near4 program) or multiprocessor\$1))) and (@ad<=20000830 or @rlad<=20000830))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 13:28	✓
-	584	(703/26-27).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 13:29	
-	94	((703/26-27).CCLS.) and ( (code or program or executable) near3 develop\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 13:29	

-	2	((device\$1 or hardware) near4 context) and (map\$5 same (program or matrix)) and (( kernel or hardware) adj2 (configuration or section\$1))) and (((703/26-27).CCLS.) and ( (code or program or executable) near3 develop\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 13:30	✓
-	8	((PE or "processing element" ) and ((hardware or architecture) near2 (configuration or context or design\$1))) and (((703/26-27).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 13:39	✓
-	2	(hardware near2 accelerator\$1) and (compiler and optimi\$5) and ((703/26-27).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 14:06	✓
-	11	((hardware near2 accelerator\$1) and (compiler and optimi\$5)) and ((US-6219833-\$ or US-5802290-\$ or US-6374403-\$ or US-6075935-\$ or US-5933642-\$ or US-5768500-\$ or US-5754759-\$ or US-5535406-\$ or US-6226776-\$ or US-6457116-\$ or US-6108760-\$ or US-5956518-\$ or US-5742180-\$ or US-5684980-\$ or US-5020059-\$ or US-6496918-\$ or US-6438737-\$ or US-6367063-\$ or US-6223274-\$ or US-6112020-\$ or US-6088795-\$ or US-6058469-\$ or US-5968161-\$ or US-5852734-\$ or US-5579494-\$ or US-6389379-\$).did. or (US-6134516-\$ or US-6188975-\$ or US-5841967-\$ or US-5657241-\$ or US-5091872-\$ or US-6199152-\$ or US-5752035-\$ or US-5146460-\$ or US-6009256-\$ or US-5870588-\$ or US-6421251-\$ or US-5910180-\$ or US-6179489-\$ or US-5577233-\$).did. or (US-20010034876-\$ or US-20020059456-\$ or US-20020049894-\$ or US-20020078115-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 14:24	✓
-	10	5936641.URPN.	USPAT	2003/04/03 14:27	✓
-	6	("5249067"   "5394523"   "5428722"   "5455599"   "5502808"   "5734852").PN.	USPAT	2003/04/03 14:30	✓
-	7	(map\$5 near4 (hardware adj2 accelerator\$1)) not Songer.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 14:44	✓
-	5	(partition\$5 near4 (hardware adj2 accelerator\$1)) not Songer.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 14:45	✓
-	5	((partition\$5 near4 (hardware adj2 accelerator\$1)) not Songer.in.) and (@ad<=20000830 or @rlad<=20000830)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 14:50	✓
-	2	6339836.URPN.	USPAT	2003/04/03 14:49	✓
-	2	(decompos\$5 or map\$5 or partition\$5) near3 (kernel near (section\$1 or design\$1 or requirem\$5 or config\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/03 15:28	✓
-	11	6052524.URPN.	USPAT	2003/04/03 15:31	✓
-	14	(SIMD and DSP and (hardware adj2 accelerator\$1) and ( compil\$4 and optimi\$5)) and (@ad<=20000830 or @rlad<=20000830)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/04 08:19	✓